Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	4	("6516053").URPN.	USPAT	OR	OFF	2006/01/09 10:07
L10	3	("5121342" | "6064721" | "6107818").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 10:06
L9	22	I8 same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:55
L8	32389	modular near3 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:54
L7	1	I6 same modular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:54
S50 2	5	S500 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:50
L6	855	"T1" near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:50
L3	2	I2 not I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:49
L2	7	(modular or swap) near system with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:49

L1	5	modular near system with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:49
S500	12241	modular near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:47
S503	13	S501 not S502	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 08:41
S501	17	S500 with voice with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 08:41
S499	0	modular near "T1" near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 08:40
S498	8	S497 same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 14:05
S497	12239	modular near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 13:40
S496	0	modular near "T1" near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 13:40

S49 3	9	(modular or removable) near3 system with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:00
S49 5	5	modular near system with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 09:59
S49 4	4	S493 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 09:54
S49 2	0	S491 with attenuation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:15
S49 1	48	S490 with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:15
S49 0	187	module near "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:15
S48 9	655	module near3 "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:15
S48 8	2	S486 and S487	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:14

S48 7	1429	mode same attenuation same impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S48 6	7776	module near3 identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S48 4	204	mode with attenuation with impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S48 1	4278	module near identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S48 5	1	1l and S484	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:41
S48 2	15	signal near mode with attenuation with impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:41
S48 3	0	S481 and S482	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:40
S48 0	2	"6930785".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:55

S47 9	2	"6930785".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:50
S47 6	9	S473 and S475	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:49
S47 8	1	S476 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:31
S47 7	0	S473 same S475	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:29
S47 5	55320	signal with attenuation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:29
S47 4	290190	signal with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:29
S47 3	449	module near (identification or id) near (number or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:28
S47 2	9	S471 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:28

S47 1	81	S469 same code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:56
S47 0	9	S469 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:56
S46 9	81	S468 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:55
S46 8	280	module near2 identification near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:55
S46 7	1	"T1" near3 module near2 identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:54
S46 5	22	S464 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:53
S46 6	1	S465 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:51
S46 4	22	S463 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:50

S46 3	41	S459 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:50
S46 2	0	S459 and singal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:50
S46 1	0	S459 same mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:50
S46 0	0	S459 same attenuation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:50
S45 9	44	"T1" with module with identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:49
S45 8	4	S456 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:49
S45 7	1	S456 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47
S45 6	12	S451 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47

S45 5	1	S451 same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47
S45 4	7	S451 and S452	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47
S45 3	0	S451 same S452	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S45 2	170284	attenuation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S45 1	126	module near identification near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:45
S45 0	5	dialtone near3 ringback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:45
S44 7	6	dialtone with ringback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:24
S44 9	1	dialtone with ringback same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:23

S44 8	4	S447 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:19
S43 0	2	S428 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:47
S44 6	8	logic with array and dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:25
S44 5	1	logic with array same dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:25
S44 4	1	logic near array with dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:25
S44 1	34	logic near array with tone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:25
S44 3	17	S442 and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19
S44 2	25	S441 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19

S440	79	logic near array same tone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:18
S439	168	logic with array same tone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:18
S438	1	logic with array same dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:18
S437	1	logic near3 array same dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:17
S436	1	logic near3 array with dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:17
S435	1	logic near array with dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:17
S434	7	S426 and tone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:10
S433	1	S426 same tone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:10

S432	1	S426 same dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:10
S431	1	S426 with dialtone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:10
S428	6	S426 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:04
S429	1	S426 same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:03
S427	1	S426 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:03
S426	69	logic near array with clock with chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:02
S425	10	S424 not S420	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:30
S424	11	S421 and "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:29
S423	1	S421 same "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:29
S422	1	S421 with "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:29
S421	208	S411 with module	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:29

S42 0	2	S411 same "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:29
S41 9	98	S418 not S413	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:28
S41 8	98	S415 and "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:28
S41 7	1	S415 same "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:27
S41 6	1	S415 with "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:27
S41 5	788	S410 with (controller or manager)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:27
S41 4	1	S411 with "T1"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:27
S41 3	20	("4443865" | "4751663" | "4829297" | "4876664" | "5036488" | "5056001" | "5162986" | "5225975" | "5347453" | "5371692" | "5386567" | "5408443" | "5426421" | "5428526" | "5455409" | "5465207" | "5621890" | "5630081" | "5787306" | "5996004").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:26
S41 2	2	S411 with (bank or central) near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:22
S41 1	2399	S410 with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:21
S41 0	12750	S409 with programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:21

S40 9	18551	logic near array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:21
S40 8	7	"T1" with (sf or esf or superframe) with "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:58
S40 7	39	"T1" same (sf or esf or superframe) same "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:58
S40 6	670	"T1" and (sf or esf or superframe) and "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:58
S40 5	4	"T1" and (sf or esf or superframe) and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:57
S40 4	2	S398 and "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:55
S40 3	2	S398 same "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:55
S40 2	0	S398 with "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:53

S40 1	0	S398 near5 "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:53
S40 0	0	S398 near3 "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:53
S39 9	0	S398 near "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:53
S39 8	11	S389 near frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:53
S39 4	24	S389 near3 frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:52
S39 7	3	"T1" and superframe and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:47
S39 6	35	"T1" and frame and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:47
S39 5	3114	"T1" and frame and "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:47

S393	28	S389 near5 frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:42
S390	35	S389 with frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:41
S392	2	S390 and "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:40
S391	0	S390 with "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:40
S389	134	"T1" adj formats	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:40
S388	254	"T1" near format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:39
S383	3	"T1" and superframe and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:39
S387	0	S386 and "TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:30

S386	2	S385 with sf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:30
S385	254	"T1" near format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:29
S384	1433	"T1" with format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:29
S380	1	"T1" near5 superframe near5 "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:29
S382	1	"T1" same superframe same "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:27
S381	1	"T1" with superframe with "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:26
S379	0	"T1" near3 superframe near "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:26
S378	7	S377 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 08:45

S37 7	137	alarm near5 user near interface with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 08:45
S37 6	1	S375 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
S37 5	7	S374 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
S37 4	137	alarm near5 user near interface with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:14
S37 3	375	alarm with user near interface with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:14
S37 2	2	alarm near control with user near interface near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:14
S34 0	5	S339 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:13
S37 1	3	superframe and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:46

S37 0	1	superframe and "TR-08" and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:45
S36 9	3	superframe and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:44
S36 7	3	"T1" and superframe and "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:30
S36 8	38	("3678268" | "3987660" | "4679191" | "4680205" | "4703478" | "5115431" | "5185736" | "5351239" | "5455946" | "5463629" | "5493328" | "5517500" | "5524007" | "5576874" | "5621773" | "5648958" | "5648984" | "5687014" | "5818843" | "5841772" | "5848068" | "5920561" | "5953318" | "5978374" | "5978375" | "5982749" | "5999518" | "6009106" | "6047006" | "6049541" | "6078568" | "6081536" | "6088337" | "6108306" | "6128301" | "6137294" | "6167095" | "6188690").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 12:28
S36 6	9	S365 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:26
S36 5	11	S364 and ("T1" or "DS1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:53
S36 4	46	network near (controller or manager) with performance near3 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:53

S36 3	4	S362 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:52
S36 2	19	S360 and ("T1" or "DS1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:42
S36 1	5547	S360 and "T1" or "DS1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:42
S36 0	110	S356 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:42
S35 6	486	(controller or manager) with performance near information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:42
S35 9	13	S358 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:39
S35 8	56	S356 and ("T1" or "DS1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:38
S35 7	3	S356 same ("T1" or "DS1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:38

S35 5	1	bank near (controller or manager) with performance near information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:38
S35 4	9	S353 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:37
S35 3	16	logic same clock near generation same chip near select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:11
S35 2	1	logic near array same clock near generation same chip near select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:10
S35 1	1	logic near array same clock near generation with chip near select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:10
S35 0	1	logic near array with clock near generation with chip near select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:10
S34 9	1	bank near3 (controller or manager) with clock near generation with chip near select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:10
S34 8	4	(controller or manager) with clock near generation with chip near select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:00

S347	1	superframe with "TR-08"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 09:58
S344	30	S343 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 08:30
S346	18	("5072407" | "5231649" | "5361259" | "5461618" | "5654983" | "5796724" | "5850388" | "5914945" | "6097754" | "6122287" | "6157689" | "6163586" | "6263016" | "6307642" | "6374375" | "6452963" | "6535485" | "6560197").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 08:19
S345	2	S344 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 08:16
S343	54	("T1" or "DS1") with frame with network with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 08:15
S342	0	S341 with superframe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 08:15
S341	192	("T1" or "DS1") with frame with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 08:15
S339	6	S338 and (alarm with backplane with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 07:56

S33 8	132192	(plurality or multiple) with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 07:56
S33 7	4	alarm with backplane with interface with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 07:55
S33 6	28	network with (controller or manager) and (alarm same backplane same interface)	USPAT	OR	OFF	2005/12/08 15:23
S32 8	3	network with (controller or manager) same (alarm same backplane same interface)	USPAT	OR	OFF	2005/12/08 15:23
S33 5	13	S329 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:50
S33 4	1	S311 with "t1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:49
S33 3	2	S332 not S331	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:48
S33 2	7	S321 same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:47
S33 1	5	S321 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:47

S32 1	944	network near (controller or manager) with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:46
S32 9	14	alarm with backplane with interface	USPAT	OR	OFF	2005/12/08 14:44
S33 0	2	S329 same (controller or manager)	USPAT	OR	OFF	2005/12/08 14:41
S32 7	0	network with (controller or manager) same (alarm with backplane with interface)	USPAT	OR	OFF	2005/12/08 14:39
S32 6	0	network with controller same (alarm with backplane with interface)	USPAT	OR	OFF	2005/12/08 14:39
S32 5	0	network with controller with alarm with backplane with interface	USPAT	OR	OFF	2005/12/08 14:39
S32 4	0	network near controller with alarm with backplane with interface	USPAT	OR	OFF	2005/12/08 14:38
S32 3	33	S322 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:25
S32 2	75	S321 with plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:25
S32 0	20	S311 with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:24
S31 9	4	S318 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:22
S31 8	4	S311 near (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:21

S31 1	496	(bank or main or central) near network near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:20
S31 7	26	S316 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:18
S31 6	46	S311 with (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:18
S31 5	8	S311 and (alarm and interface and backplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:17
S31 4	0	S311 and (alarm same interface same backplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:11
S31 3	0	S311 same alarm same interface same backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:11
S31 2	0	S311 with alarm with interface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:11
S31 0	589	(bank or main or central) near network near3 (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:10

S30 9	2	"5655068".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:12
S30 8	2	"6085244".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:12
S30 7	18	S306 and backplane same interface same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 12:07
S30 6	26653	network with (plurality or multiple) with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 12:06
S30 5	8	S304 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:04
S30 4	18	S303 and backplane same interface same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:04
S30 3	26630	network with (plurality or multiple) with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:03
S30 2	0	S301 same backplane same interface same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:03

S30 1	5423	network near5 (plurality or multiple) near3 control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:03
S29 9	20	S297 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:02
S30 0	0	S299 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:59
S29 8	1	alarm near3 control same interface near3 control same backplane near3 control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:59
S29 7	34	alarm near3 control and interface near3 control and backplane near3 control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:59
S29 6	1	alarm near control and interface near control and backplane near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:58
S29 5	1	alarm near control same interface near control same backplane near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:58
S29 4	1	alarm near control with interface near control with backplane near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:58

S29 3	23	S292 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:57
S29 2	44	S287 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:52
S28 7	224	S285 near network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:52
S29 1	15	S290 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:51
S29 0	21	S285 with (swap or remove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:49
S28 9	0	S285 with removeable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:49
S28 8	0	S287 with removeable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:49
S28 6	1201	S285 with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:48

S28 5	13275	(plurality or multiple) near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:48
S28 4	4	S282 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:47
S28 3	0	S282 not "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:45
S28 2	6	S281 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:45
S28 1	146	S280 with (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:45
S28 0	934	bank near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:44
S27 7	267	network near (plurality or multiple) near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:43
S27 9	39	S278 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:31

S27 8	66	S277 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:31
S27 6	187	S275 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:31
S27 4	1791	network near (plurality or multiple) with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:31
S27 5	427	S274 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:30
S27 3	40	S272 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 10:14
S25 2	224	(plurality or multiple) near (controller or manager) near network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 10:08
S27 2	82	(master or bank) near (plurality or multiple) near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:54
S27 1	12	S270 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:51

S27 0	29	(master or bank) near (plurlaity or multiple) near controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:48
S25 8	23	S257 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:47
S26 9	23	S268 not @AD>"20000414"	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 09:45
S26 8	33	S267 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 09:42
S26 7	706	S266 and "T1"	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 09:42
S26 6	8242	plurality near controller	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 09:42
S26 5	5	("4914571" | "4922486" | "4941084" | "5095480" | "5175852").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 09:33
S26 4	36	S263 not S260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:23
S26 3	39	S262 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:23
S26 2	127	S261 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:57
S26 1	267	(plurality or multiple) near network near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:57

S26 0	26	S252 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
S25 9	19	S258 not S255	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:54
S25 7	44	S252 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:40
S25 6	8	S255 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:32
S25 5	26	S252 and "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:32
S25 4	0	S252 same "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:32
S25 3	0	S252 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:32
S25 1	1323	(plurality or multiple) near3 (controller or manager) near network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:30

S25 0	12631	(plurality or multiple) with (controller or manager) with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:29
S24 9	5	S248 and "709"/$.ccls.	USPAT	OR	ON	2005/12/01 15:30
S24 8	41	S247 not @AD>"20010322"	USPAT	OR	ON	2005/12/01 15:29
S24 7	44	failed near (device or terminal) with configuration	USPAT	OR	ON	2005/12/01 15:29
S24 5	42	S244 not @AD>"20010322"	USPAT	OR	ON	2005/12/01 15:29
S24 6	3	(fault with configuration with software with hardware).ab,ti.	USPAT	OR	ON	2005/12/01 15:16
S24 4	45	fault with configuration with software with hardware	USPAT	OR	ON	2005/12/01 15:15
S24 3	12	S242 not @AD>"20010322"	USPAT	OR	ON	2005/12/01 15:14
S24 2	12	failed with terminal with configuration	USPAT	OR	ON	2005/12/01 15:12
S24 1	2	failed near terminal with configuration	USPAT	OR	ON	2005/12/01 15:12
S24 0	2	S239 and "709"/$.ccls.	USPAT	OR	ON	2005/12/01 15:10
S23 9	12	S238 not @AD>"20010322"	USPAT	OR	ON	2005/12/01 15:10
S23 8	13	(device or network) near3 fail near configuration	USPAT	OR	ON	2005/12/01 15:07
S23 7	24	(device or network) with fail near configuration	USPAT	OR	ON	2005/12/01 15:07
S23 6	75	(device or network) with fail near3 configuration	USPAT	OR	ON	2005/12/01 15:07
S23 5	895	fail near3 configuration	USPAT	OR	ON	2005/12/01 15:06
S23 4	13	fail with hardware with software with configuration	USPAT	OR	OFF	2005/12/01 15:06
S23 3	0	fail near (device or node) near configuration	USPAT	OR	OFF	2005/12/01 15:01
S23 2	7	failed with hardware with software with configuration	USPAT	OR	OFF	2005/12/01 15:00
S23 1	0	(failed with hardware with software with configuration).ab,ti.	USPAT	OR	OFF	2005/12/01 14:58
S23 0	4	(failed with network with configuration).ab,ti.	USPAT	OR	OFF	2005/12/01 14:58

S22 8	77	failed with network with configuration	USPAT	OR	OFF	2005/12/01 14:55
S22 9	21	S228 and "709"/$.ccls.	USPAT	OR	OFF	2005/12/01 14:54
S22 5	7	failed with configuration with hardware with software	USPAT	OR	OFF	2005/12/01 14:54
S22 7	1	compare with failed with configuration	USPAT	OR	OFF	2005/12/01 14:50
S22 6	1	compare with fail with configuration	USPAT	OR	OFF	2005/12/01 14:18
S22 4	0	failed near3 configuration near3 hardware near3 software	USPAT	OR	OFF	2005/12/01 14:04
S22 3	0	failed near configuration near3 hardware near3 software	USPAT	OR	OFF	2005/12/01 14:04
S22 2	27	("6085244").URPN.	USPAT	OR	OFF	2005/12/01 14:03
S22 1	2	S220 not @AD>"20010322"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
S22 0	9	compare with configuration near3 hardware near3 software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
S21 9	1	compare near3 configuration near hardware near software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52
S21 8	1	compare with configuration near hardware near software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52
S21 3	1405	configuration near hardware near software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52

S21 7	5	S216 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:32
S21 6	90	(configuration near hardware near software).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:32
S21 5	64	S214 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:30
S21 4	219	S213 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:21
S21 2	1989633	configuration nearhardware near software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:20
S21 1	4844	configuration near3 hardware near software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:20
S21 0	1115	S209 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:20
S20 9	6895	hardware near3 software near5 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:20

S208	11048	hardware with software with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 11:20
S207	1	"6427170".pn.	USPAT	OR	OFF	2005/11/30 15:11
S206	2	(central or main or bank or network) near (control or manage) same fractional near "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:00
S205	0	(central or main or bank) near (control or manage) same fractional near "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:00
S204	0	(central or main or bank) near (control or manage) with fractional near "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:00
S198	113204	(central or main or bank) near (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:00
S203	14	S202 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:58
S202	16	S198 with fractional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:58
S201	179	S199 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:58

S19 9	263	S198 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:58
S20 0	3	S199 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:57
S19 7	0	(central or main or bank) near (controler or manager) with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:55
S19 6	72	S195 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:55
S19 4	844	(central or main or bank) near (controler or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:55
S19 5	184	S194 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:54
S19 3	5	S192 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:52
S16 3	3232	(central or main or bank) near3 (controler or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:52

S19 2	10	S191 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:46
S19 1	73	S190 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:46
S19 0	23746	network near (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:45
S18 9	62786	network near5 (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:45
S18 8	13	S181 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:32
S18 1	23	alarm with interface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:31
S18 7	3	alarm with user with interface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:28
S18 6	1	alarm with user near3 interface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:28

S18 5	1	alarm with user near interface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:28
S18 4	21037	alarm with user nearinterface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:27
S18 3	4049	"I20" not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:14
S18 2	1991	"I23" not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:14
S18 0	35	S179 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:13
S17 9	35	S178 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:07
S17 8	57	S163 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:07
S17 7	364	S176 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:07

S17 6	749	S175 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:04
S17 5	6023	S171 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:03
S17 4	17	S166 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:03
S17 3	7	S172 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:56
S17 2	7	S171 and S166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:54
S17 1	46712	network near (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:53
S17 0	205	S162 and S169	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:53
S16 9	620	alarm and (user near interface) and backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:53

S16 6	28	alarm same (user near interface) same backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:53
S16 8	2	S167 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:50
S16 7	4	S162 and S166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:49
S16 5	1	alarm with (user near interface) with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:49
S16 4	1	alarm with user near interface with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:49
S16 2	238297	(central or main or bank) near3 (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 08:48
S16 1	1	alarm with user near interface with backplane	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 16:54
S15 8	28	alarm same user near interface same backplane	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 16:54
S16 0	9	network near3 (controller or manager) near3 (plurality or multiple) near5 module	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 16:52
S14 6	364	network with (controller or manager) with plurality with module	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 16:51
S15 9	17	S158 not @AD>"20000414"	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 16:45

S15 7	26	alarm same user near interface same backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 16:45
S15 6	12	S155 not @AD>"20000414"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 15:31
S15 5	14	S145 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 15:28
S15 4	1	S153 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 15:27
S15 3	6	alarm same user near interface same backplane same (control or manage)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 15:27
S14 5	26	alarm same user near interface same backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 15:27
S15 2	6	alarm same user near interface same backplane same (control or manage)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 15:26
S15 1	9	S150 and "709"/$.ccls.	USPAT	OR	OFF	2005/11/29 15:25
S15 0	125	("4570217").URPN.	USPAT	OR	OFF	2005/11/29 14:25
S14 9	3	S146 and S148	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:11
S14 8	522	alarm and user near interface and backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:11
S14 7	0	S145 and S146	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:11
S14 4	1	S135 and S142	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:07
S14 3	0	S136 and S142	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:07
S14 2	26	alarm same user near interface same backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:07
S12 7	522	alarm and user near interface and backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:07
S14 1	3	S136 and S127	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:03

S14 0	102	S135 and S127	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:03
S13 9	0	S138 and S127	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:03
S13 8	27	S137 not @AD>"20000414"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:02
S13 7	73	S136 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:02
S13 6	364	network with (controller or manager) with plurality with module	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:01
S13 5	4367	network with (controller or manager) with module	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:01
S13 4	39	S133 not @AD>"20000414"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:01
S13 3	63	S129 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:38
S13 2	1	S131 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:38
S13 1	10	S127 and S130	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:38
S13 0	3319	network with (main or central or bank) near (control or manage)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:36
S12 9	344	S127 and S128	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:36
S12 8	107649	network with (main or central or bank) near3 control or manage	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:36
S12 6	1	S125 and alarm and user near interface and backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:35
S12 5	89	S123 with module	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:24
S12 4	1	S118 and S123	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:24

S123	2185	S122 with network	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:24
S122	18530	(central or main or bank) near (controller or manager)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:23
S121	12	S118 not S120	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:23
S119	146018	network with (control or manage)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:21
S120	14	S118 and S119	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:20
S118	26	alarm same user near interface same backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:17
S117	17	S116 not @AD>"20000414"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 12:17
S116	26	alarm same user near interface same backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:48
S115	1	alarm with user near interface with backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:47
S114	1	alarm with user adj interface with backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:47
S113	2	S110 and alarm with interface with backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:47
S112	0	S110 same alarm with interface with backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:41
S111	0	S110 with alarm with interface with backplane	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:41
S110	15056	network near (controller or manager)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:40
S109	3	S106 not S107	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:39
S108	6	("20020198907" | "5768119" | "6049578" | "6078320" | "6292523" | "6369836").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 11:36

S107	8	network near (control or manage) same alarm with backplane with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:34
S106	11	network near (control or manage) same alarm with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:33
S105	0	network near (control or manage) with alarm with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:32
S104	15	S102 same user same backplane same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:32
S103	2	S102 with user with backplane with alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:18
S102	246637	network with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:17
S101	20	S100 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:17
S100	47	S99 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:10

S99	385	access and alarm and user near interface and backplane and (plurality or multiple) with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:10
S98	1	access near control and alarm near control and user near interface near control and backplane near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:09
S97	574	access and alarm and user near interface and backplane and (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:09
S95	2	access same alarm same user same backplane same (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:08
S96	0	("2002/0072345").URPN.	USPAT	OR	OFF	2005/11/29 10:07
S94	1	access with alarm with user with backplane with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:04
S93	24	S92 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:03
S92	34	S91 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:49
S91	1312	S90 near (plural or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:49

S90	600969	(control or manage) near (unit or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:49
S86	804314	(control or manage) near3 (unit or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:49
S89	343	S88 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:48
S88	663	S87 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:48
S87	22440	S86 near3 (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:48
S83	1204031	(control or manage) with (unit or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:48
S85	2217	S84 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:47
S84	102459	S83 with (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:47

S82	292752	(controller or manager) with (unit or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:47
S81	3	S80 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:53
S80	7	S79 with bank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:52
S79	1151	(controller or manager) with (performance near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:52
S77	2	"5740241".pn,.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:51
S78	37	("5740241").URPN.	USPAT	OR	OFF	2005/11/22 10:12
S76	31	S75 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:19
S75	68	S73 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:19
S74	3	S73 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:19

S73	71	S72 with (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:17
S69	367924	(controller or manager) with (module or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:17
S72	855	S69 with voice near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:16
S71	0	S70 with voice near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:16
S70	1	alarm near3 user near3 backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:15
S68	1	S65 and backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:07
S67	0	S65 same backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:07
S66	0	S65 with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:07

S65	66	S63 with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:07
S64	107	S63 same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:07
S63	825	S60 with alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:06
S62	1606	S60 same (alarm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:06
S61	0	S60 same (alarm with backplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:06
S60	130915	(plurality or multiple) with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:05
S59	0	(plurality or multiple) with (control or manage) same (alarm with user with backplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:04
S58	0	(plurality or multiple) with (control or manage) with alarm with user with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:04

S57	10	S55 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:01
S56	1	S55 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 12:00
S55	11	(controller or manager) with alarm with user with backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:58
S51	3310	(controller or manager) near3 (plurality or multiple) near control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:18
S54	29	S53 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:14
S53	87	S51 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:14
S52	0	S51 with (remove or replace or move) with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:13
S47	11301	(controller or manager) near5 (plurality or multiple) near3 control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:13

S50	172	S49 not @AD>"20000414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:12
S49	334	S47 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:12
S48	0	S47 with (remove or replace or move) with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:11
S46	43059	(controller or manager) with (plurality or multiple) with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:10
S45	1	S42 same S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:58
S44	1	S42 with S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:58
S43	73912	voice near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:58
S42	1547	(plurality or multiple) with (remove or move or replace) with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:57

S41	2	"6324608".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:43
S34	1547	(multiple or plurality) with (remove or replace or move) with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:43
S40	3	S34 with "T1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:07
S39	2	S38 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:07
S38	7	S34 same voice with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:06
S37	5	S34 with voice with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:04
S36	1	S34 with voice near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:04
S35	1	S34 with voice adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:03

S33	5	(plurality or multiple) with data with voice with (remove or replace or move) with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:02